



*because the problem with exercise is the lack of time, not energy.



- News
- Articles
- Videos
- Images
- Books
- Search
- Health & Medicine
- Mind & Brain
- Plants & Animals
- Earth & Climate
- Space & Time
- Matter & Energy
- Computers & Math
- Fossils & Ruins

Science News

Warming Of Arctic Current Over 30 Years Triggers Release Of Methane Gas

ScienceDaily (Aug. 16, 2009) — The warming of an Arctic current over the last 30 years has triggered the release of methane, a potent greenhouse gas, from methane hydrate stored in the sediment beneath the seabed.

See also:

- Earth & Climate**
 - Global Warming
 - Climate
 - Environmental Issues
 - Renewable Energy
 - Oceanography
 - Water
- Reference**
 - Geologic temperature record
 - Carbon cycle
 - Methane
 - Oceanic trench

Scientists at the National Oceanography Centre Southampton working in collaboration with researchers from the University of Birmingham, Royal Holloway London and IFM-Geomar in Germany have found that more than 250 plumes of bubbles of methane gas are rising from the seabed of the West Spitsbergen continental margin in the Arctic, in a depth range of 150 to 400 metres.

Methane released from gas hydrate in submarine sediments has been identified in the past as an agent of climate change. The likelihood of methane being released in this way

has been widely predicted.

The data were collected from the royal research ship RRS James Clark Ross, as part of the Natural Environment Research Council's International Polar Year Initiative. The bubble plumes were detected using sonar and then sampled with a water-bottle sampling system over a range of depths.

The results indicate that the warming of the northward-flowing West Spitsbergen current by 1° over the last thirty years has caused the release of methane by breaking down methane hydrate in the sediment beneath the seabed.

Professor Tim Minshull, Head of the University of Southampton's School of Ocean and Earth Science based at that the National Oceanography Centre, says: "Our survey was designed to work out how much methane might be released by future ocean warming; we did not expect to discover such strong evidence that this process has already started."

Methane hydrate is an ice-like substance composed of water and methane which is stable in conditions of high pressure and low temperature. At present, methane hydrate is stable at water depths greater than 400 metres in the ocean off Spitsbergen. However, thirty years ago it was stable at water depths as shallow as 360 metres.

This is the first time that such behaviour in response to climate change has been observed in the modern period.

While most of the methane currently released from the seabed is dissolved in the seawater before it reaches the atmosphere, methane seeps are episodic and unpredictable and periods of more vigorous outflow of methane into the atmosphere are possible. Furthermore, methane dissolved in the seawater contributes to ocean acidification.


Graham Westbrook Professor of Geophysics at the University of Birmingham, warns: "If this process becomes widespread along Arctic continental margins, tens of megatonnes of methane per year – equivalent to 5-10% of the total amount released globally by natural sources, could be released into the ocean."

The team is carrying out further investigations of the plumes; in particular they are keen to observe the behaviour of these gas seeps over time.

Journal reference:

- Westbrook, G.K. et al. **Escape of methane gas from the seabed along the West Spitsbergen continental margin.** *Geophysical Research Letters*, 2009; DOI: 10.1029/2009GL039191

Adapted from materials provided by National Oceanography Centre, Southampton (UK).



Researchers in Germany have found that more than 250 plumes of bubbles of methane gas are rising from the seabed of the West Spitsbergen continental margin in the Arctic, in a depth range of 150 to 400 metres. (Credit: Image courtesy of National Oceanography Centre, Southampton)

Ads by Google

Advertise here

Standard Bank

Growing emerging markets with players in the energy value chain www.standardbank.com

Solar Installation Course

Solar energy heating installation & renewable energy training courses www.met-uk.com/renewablescourses

landfill gas monitoring

Independent borehole gas monitoring See our web-site for rates boreholegasmonitoring.co.uk

Reduce Environment Impact

Help Combat The Climate Crisis Assess, Reduce and Offset Your CO2 www.carbonbalanced.org

Environmental Monitoring

...and much more. Protect critical IT kit Temp, Humidity, Water, Power www.spook.co.uk

Related Stories

Methane Flux From Arctic Tundras: It's The Hydrology, Stupid! (Apr. 5, 2006) — Many fear that, in the coming years, large amounts of methane will be released into the atmosphere. Methane is a much stronger greenhouse gas than carbon dioxide and global warming could lead to ... > read more



Fire In The Ice: Gas Hydrate Project Could Unlock Vast Energy Resource In Alaska (Feb. 22, 2007) — Drilling is complete on an Alaskan North Slope well, cofunded by the Department of Energy, that could prove to be an important milestone in assessing America's largest potential fossil energy ... > read more



Lakes Boiling With Methane Discovered In Alaska (Sep. 15, 2007) — A lake in Alaska was found violently boiling with escaping methane. Scientists are studying methane emissions from arctic lakes, especially the connection between thawing permafrost and

Just In: How Alcohol Blunts Ability To 'Rise And Shine'

Science Video News



Inside The Clouds Meteorologists analyzing data from a closely-packed group of five satellites have identified a decrease in cloud cover over the Arctic. They find. ... > full story

Biogeochemists Map Out Carbon Dioxide Emissions In The U.S.

Meteorologists Find That Increased Ocean Temperatures Cause Increasingly Intense Hurricanes

Biological Engineers Generate Natural Gas with Bacteria

more science videos

*because the problem with exercise is the lack of time, not energy.

Find out more >



Breaking News

... from NewsDaily.com

Computer algorithm to decipher ancient texts

Outlook "poor" for Great Barrier Reef: study

Spacewalking astronauts briefly lose ground link U.N. chief calls for urgent action on climate

Indonesian satellite launched from China misses orbit

more science news



*because the problem with exercise is the lack of time, not energy.

Find out more >

In Other News ...

Strong Indonesia quake kills 32, damages 1,300 homes

Afghanistan deputy spy chief among 23 dead in blast

U.S. private job losses, planned layoffs fall

Schwarzenegger to take prison fight to Supreme Court

Israel, Palestinians hold high-level economic talks

Brown denies "double-dealing" in Lockerbie case

Firefighters gain ground against Los



Email or share this story: | [More](#)

[climate ...](#) > [read more](#)

[ground against Los Angeles fire](#)

[Pakistani minister shot and wounded: police](#)

[more top news](#)

Need to cite this story in your essay, paper, or report? Use one of the following formats:

- APA** National Oceanography Centre, Southampton (UK) (2009, August 16). Warming Of Arctic Current Over 30 Years Triggers Release Of Methane Gas. *ScienceDaily*. Retrieved September 2, 2009, from <http://www.sciencedaily.com/releases/2009/08/090814103231.htm>
- MLA**

Study Rules Out Ancient 'Bursts' Of Methane From Seafloor Deposits (Aug. 24, 2006) — A dramatic increase about 12,000 years ago in levels of atmospheric methane, a potent greenhouse gas, was most likely caused by higher emissions from tropical wetlands or from plant production, ... > [read more](#)



Methane Bubbling Through Seafloor Creates Undersea Hills (Feb. 7, 2007) — According to a recent paper published by MBARI geologists and their colleagues, methane gas bubbling through seafloor sediments has created hundreds of low hills on the floor of the Arctic Ocean. ... > [read more](#)

Copyright Reuters 2008. See [Restrictions](#).

Free Subscriptions ... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

[Email Newsletters](#)

[RSS Newsfeeds](#)

Search ScienceDaily

Number of stories in archives: 44,032

Find with keyword(s):

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

Ads by Google

[Advertise here](#)

Climate Change Latest

News & views on countering global warming & climate change today. [Climate.Change.Sidewaysnews.com](#)

Climate change

5th Annual conference. Updates on carbon reduction & climate change [www.conferencesandtraining.com](#)

Nature Collections Energy

Clean energy on a global scale Can science meet the challenge? [www.nature.com/nature/supplement](#)

Feedback ... we want to hear from you!

Tell us what you think of the new ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

Your Name:

Your Email:

Comments:

Click button to submit feedback:

[About This Site](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute News](#) | [Advertise With Us](#) | [Privacy Policy](#) | [Terms of Use](#)
Copyright © 1995-2009 ScienceDaily LLC — All rights reserved — Contact: editor@sciencedaily.com