



Book in advance for our cheapest fares. [book now >>](#)



- News
- Articles
- Videos
- Images
- Books
- Search

- Health & Medicine
- Mind & Brain
- Plants & Animals
- Earth & Climate
- Space & Time
- Matter & Energy
- Computers & Math
- Fossils & Ruins

**Science News**

- Share
- Blog
- Cite
- Print
- Email
- Bookmark

**New Tool Improves Reliability Of Climate Models**

*ScienceDaily* (Jan. 21, 2009) — An international team of researchers, including Antoni Rosell, ICREA researcher at the Institute of Environmental Science and Technology (ICTA) and professor of the Department of Geology, Universitat Autònoma de Barcelona, who participated as a member of the direction team, have created MARGO (Multiproxy Approach for the Reconstruction of the Glacial Ocean Surface), a new quantitative tool which reconstructs the sea surface temperature during the Last Glacial Maximum.

Ads by Google [Advertise here](#)

**Melted World**  
Upload and Share Videos & Photos of Ecological Issues  
[www.meltedworld.com](http://www.meltedworld.com)

**Qualitative Research**  
Services for Qualitative Research Customer and Employee Satisfaction  
[www.maven.co.uk](http://www.maven.co.uk)

**Relaxing Views of Nature**  
Peaceful, calming landscapes 10% Discount plus FREE shipping!  
[www.NinaWeissPhotography.com](http://www.NinaWeissPhotography.com)

**Research**  
Sales/Marketing Data Analysis Horizon Multi-Level Online Service  
[www.MarketLocation.com/Horizon](http://www.MarketLocation.com/Horizon)

**Nature Videos**  
Get Ready For All Nature Videos Free Video From National Geographic  
[video.nationalgeographic.com](http://video.nationalgeographic.com)


**Related Stories**

**Climate Models Look Good When Predicting Climate Change** (Apr. 6, 2008) — The accuracy of computer models that predict climate change over the coming decades has been the subject of debate. A new study by meteorologists shows that current climate models are quite accurate ... [> read more](#)


**Vegetation Key To Accurate Climate Modeling** (May 30, 2001) — Linking vegetation models to climate models when approximating the Earth's past and future climates may make climate predictions more accurate and could provide a better picture of the effects of ... [> read more](#)

**Insides Of Clouds May Be The Key To Climate Change** (Feb. 25, 2007) — As climate change scientists develop ever more sophisticated climate models to project an expected path of temperature change, it is becoming increasingly important to include the effects of aerosols ... [> read more](#)

**New Study Increases Concerns About Climate Model Reliability** (Dec. 12, 2007) — A new study comparing the composite output of 22 leading global climate models with actual climate data finds that the models do an unsatisfactory job of mimicking climate change in key portions of ... [> read more](#)

 **Changes In Winds Could Have Been Cause Of Abrupt Glacial Climatic Change** (July 21, 2008) — During the last glacial period, small variations in the surface winds could have induced significant changes in the oceanic currents of the North Atlantic, and could even have played a role in the ... [> read more](#)


**Impact Of Global Warming On Weather Patterns Underestimated** (Sep. 22, 2005) — The impact of global warming on European weather patterns has been underestimated, according to a new report published in Nature this week. The Northern Hemisphere Circulation study found that ... [> read more](#)

 **Increased Hurricane Activity Linked To Sea Surface Warming** (Jan. 31, 2008) — The link between changes in the temperature of the sea's surface and increases in North Atlantic hurricane activity has been quantified for the first time. The research shows that a 0.5 C increase in ... [> read more](#)

 **Satellite Finds Warming 'Relative'**

**Just In:**  
[Secrets Of Stradivarius' Unique Violin Sound](#)

**Science Video News**

 **Harder Rain, More Snow**  
While raising average global temperatures, climate change could also bring more snow, harder rain, or heat waves, meteorologists say. Computer models. ... [> full story](#)

- [Earth Scientists And Meteorologists Create Historically Based, Realistic Weather Animations](#)
- [Climatologists Forecast Completely New Climates](#)
- [Meteorologists Find That Increased Ocean Temperatures Cause Increasingly Intense Hurricanes](#)

[more science videos](#)




**CLICK HERE**

for an instant quote

**Breaking News** ... from NewsDaily.com

-  [FDA allows first test of human stem cell therapy](#)
- [Japan launches satellites, eyes space business](#)
- [Worm gene offers clues to nerve cell repair: study](#)
- [Is that two moons around Saturn I see?](#)
- [Fragments break off Soviet-era nuclear satellite](#)
- [more science news](#)

**In Other News ...**

- [Leaders to flock to Davos to discuss economic crisis](#)
- [Hague prosecutor: Congo warlord used children to kill](#)
- [EU ready to give U.S. some help to shut Guantanamo](#)
- [Two U.S. aircraft crash in Iraq, four killed](#)
- [Job cuts mount, Dubai port freezes growth](#)
- [One term or two? Economy is key, experts say](#)
- [Chinese hope for bullish Year of the Ox](#)

**See also:**

**Earth & Climate**

- [Global Warming](#)
- [Climate](#)
- [Oceanography](#)
- [Weather](#)
- [Ice Ages](#)
- [Geography](#)

**Reference**

- [Consensus of scientists regarding global warming](#)
- [Climate model](#)
- [Sea level](#)
- [Sequence stratigraphy](#)

Project MARGO offers more exhaustive data than that available at present and will serve to represent more exact models of the past and predict the climate's evolution in the future. In addition, MARGO has enabled researchers to discover new aspects of the Last Glacial Maximum, such as the fact that the ice covering the Northern Atlantic Ocean and extending down to the British Isles was not permanent but actually melted in the warmer months to a much larger extent than it does now.

MARGO was created by 52 researchers from around the world. In addition to Antoni Rosell,

members of the direction team included C. Waelbroeck (CNRS, France), A. Paul (U. Bremen, Germany), M. Kucera (University of Tübingen, Germany), R. Schneider and M. Weinelt (University of Kiel, Germany), and A.C. Mix (Oregon State University, United States). Isabel Cacho, professor of the Department of Stratigraphy, Paleontology and Marine Geosciences and member of the Marine Geosciences research group at Universitat de Barcelona also participated in the project.

Researchers use climate models to discover how to reduce the impact of climate change or how global warming increases in specific areas of the planet. These models are created with mathematic equations to form a quantitative representation of how the atmosphere, oceans and polar ice caps interact during a specific time period. "It is not always easy to verify if these models are reliable and efficient, especially when it comes to middle and long-term predictions. The safest way of doing it consists in modelling a climatic period which is very different from the one at present, where you can observe the mechanisms from that period and verify that the reconstruction of the climate model is correct. With this, we make sure that the climate model will function correctly when predicting future climate situations", states Antoni Rosell, ICTA researcher, member of the direction team, instigator of the MARGO project and expert in geochemical paleothermometers.

During the 1970s scientists created Project CLIMAP (Climate Long-Range Investigation, Mapping and Prediction); the first quantitative global reconstruction of sea surface temperatures during the Last Glacial Maximum, the coldest period of the last glaciation. Since then, CLIMAP has been used in all climate models which reconstruct weather conditions from that period. But the evolution in climate science in the past years and the development of new data collection techniques and methods have made it obvious that more than thirty years after its creation, CLIMAP clearly does not suffice. This is evidenced by the research carried out with MARGO, which offers more precise data on sea surface temperature during the Last Glacial Maximum, especially in the Northern Atlantic Ocean and tropical areas, as well as a new perspective on the sensitivity of the Earth's climate system to carbon dioxide. It also represents a new tool which can improve the reliability of current climate models.

"MARGO's main contribution has been the mapping of sea surface temperatures which reconstruct longitudinal and latitudinal gradients of all ocean basins during the Last Glacial Maximum and which can be quantitatively contrasted with

current oceanographic conditions", explains Antoni Rosell. "These new maps have helped us identify aspects which can improve climate modelling and ways in which the main climate models used in future predictions can be enhanced, such as in representing certain climate situations in specific areas of the planet. We nevertheless detected that these tools are currently very reliable in general."

Researchers detected that the climate during the Last Glacial Maximum was characterised by pronounced east-west temperature gradients in the tropics and North Atlantic region which were very different to today's temperatures. This implies significant changes in ocean and atmosphere currents due to the presence of large ice caps in Europe and North America.

Researchers defined their period of study between 23 and 19 thousand years before present, which is rigorously considered to be the Last Glacial Maximum period (CLIMAP had studied the period between 26 and 16 thousand years), and compiled up to 696 individual reconstructions of sea surface temperatures from different parts of the world. The data was obtained with the analysis of up to six types of paleothermometers which analysed sediments found in the depths of the oceans and the fossil remains they contained. Of these, four paleothermometers were based on ecological principles and the study of the shells of microscopic organisms (planktonic foraminifera, diatoms, dinoflagellates and radiolaria); while the other two were geochemical and based on organic molecules (alkenones containing 37 carbon atoms) produced by unicellular algae or by metals found in the zooplankton shells (magnesium and calcium found in planktonic foraminifera).

The MARGO sea surface temperatures were studied within a joint research framework defined by all 52 researchers. For the project, the planet was divided into a grid of 5° latitude x 5° longitude cells. Each cell was given a specific temperature resulting from the weighted average of data collected in the different paleothermometers analyses corresponding to each grid cell. Data was collected mainly in the North Atlantic, Antarctic and tropical regions, considered key to the understanding of climate systems.

This greater precision in quantitative reconstructions provided by MARGO has allowed researchers to offer new views on the climate situation of that period. One of the most relevant aspects refers to the fact that the ice covering a large part of the northern hemisphere during the Last Glacial Maximum was not permanent - as CLIMAP stated - but actually melted in the warmer months. This facilitated an exchange of heat between ocean and atmosphere and favoured the growth and stability of large polar ice caps in Europe and North America.

In addition, while CLIMAP maintained that the most significant cooling (below -10°C) occurred from the middle latitudes of the Northern Atlantic Ocean towards the west of the Mediterranean Basin (-6°C), MARGO indicates that this cooling was produced in the opposite direction, from sea basins in the east towards those in the west and that the cooling was not homogeneous but occurred in some areas to a greater degree than others. Researchers confirmed this hypothesis with the results of four types of paleothermometers, while CLIMAP only used one.

Regarding the cooling of the tropics, MARGO reveals that the area affected was much larger than that proposed by CLIMAP and more heterogeneous, with more pronounced cooling in the Atlantic Ocean than in the Indian and Pacific. Data obtained from MARGO specifically indicates a 1-3°C cooling of the warmest area of the western Pacific. One of the remarkable features however is that temperatures in some areas were higher than they are today - albeit the Earth was experiencing a glaciation period - as was detected in the 1-3°C difference in northwest Australia, probably due to the changes in direction of warm water currents in the region of Indonesia. The subtropical currents of the Atlantic Ocean experienced little cooling in their centre (less than -2°C), whereas in the Pacific parts of both northern and southern subtropical currents were warmer than at present by up to 1-2°C.

Researchers also concluded that there was a movement of polar ice caps in the Antarctic Ocean towards the north, which caused a cooling of -2 to -6°C in comparison to current temperatures.

Project MARGO sets the bases for future joint international and interdisciplinary studies which will work towards a better understanding of the natural causes behind both past and present changes in climate, ocean currents and atmosphere, as well as the ability to predict the effects climate change may have in the future.

#### Journal reference:

1. Waelbroeck et al. **Constraints on the magnitude and patterns of ocean cooling at the Last Glacial Maximum.** *Nature Geoscience*, 2009; DOI: [10.1038/ngeo411](https://doi.org/10.1038/ngeo411)



**To Humidity** (Mar. 16, 2004) — A NASA-funded study found some climate models might be overestimating the amount of water vapor entering the atmosphere as the Earth warms. Since water vapor is the most important heat-trapping ... [> read more](#)

...  
U.S. business  
climate worst in 27  
years: survey  
[more top news](#)

Copyright Reuters 2008. See [Restrictions](#).

#### Free Subscriptions ... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

[Email Newsletters](#)  
[RSS Newsfeeds](#)

#### Feedback ... we want to hear from you!

Tell us what you think of the new ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?





Your Name:

Your Email:

Comments:

Click button to submit feedback:

Adapted from materials provided by [Universitat Autònoma de Barcelona](#).

Email or share this story:    

Need to cite this story in your essay, paper, or report?  
Use one of the following formats:

- APA    Universitat Autònoma de Barcelona (2009, January 21). New Tool Improves Reliability Of Climate Models. *ScienceDaily*. Retrieved January 26, 2009, from <http://www.sciencedaily.com/releases/2009/01/090120091421.htm>
- MLA

**Search ScienceDaily**

Number of stories in archives: 44,032

Find with keyword(s):

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

Ads by Google

[Advertise here](#)

**Free Online Classes**

Over 1000 Free E-Classes Now Online Join Now for Free & start Learning!  
[www.schoox.com](http://www.schoox.com)

**Watch FREE Nature Videos**

Get the latest science research on your screen!  
[www.nature.com/video](http://www.nature.com/video)

**The A-Z of Global Warming**

Confused, Worried? Everything you Need to Know about Global Warming  
[www.A-zofglobalwarming.com](http://www.A-zofglobalwarming.com)

[About This Site](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute News](#) | [Advertise With Us](#) | [Privacy Policy](#) | [Terms of Use](#)

Copyright © 1995-2009 ScienceDaily LLC — All rights reserved — Contact: [editor@sciencedaily.com](mailto:editor@sciencedaily.com)